






JIB CRANE STOCK CODE KEY




e.g. JIB-FSUB032X04X032H-PS-PC-RP-N

Free Standing Underbraced Jib Crane, 3.2t MRC, 4m Reach, 3.2m H.O.L, Power Slew, Power Catenaries, Roving Pendant, Non Continues Slew.



0.25t JIB CRANE SELECTION CHART




NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY


Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code
3	3.2	M3/M4	MANUAL	3852	265	165	JIB-FSUB003X03032H-MS-PC-FP-N
4	3.2	M3/M4	MANUAL	3852	290	165	JIB-FSUB003X04032H-MS-PC-FP-N
5	3.2	M3/M4	MANUAL	3948	290	165	JIB-FSUB003X05032H-MS-PC-FP-N
6	3.2	M3/M4	MANUAL	4002	310	165	JIB-FSUB003X06032H-MS-PC-FP-N
7	3.2	M3/M4	MANUAL	4002	335	165	JIB-FSUB003X07032H-MS-PC-FP-N
8	3.2	M3/M4	MANUAL	4009	385	165	JIB-FSUB003X08032H-MS-PC-FP-N
9	3.2	M3/M4	MANUAL	4107	385	165	JIB-FSUB003X09032H-MS-PC-FP-N
10	3.2	M3/M4	MANUAL	4252	385	165	JIB-FSUB003X10032H-MS-PC-FP-N

RECOMMENDED HOIST TO SUIT JIB CRANE			
Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
CHR0250W14CS	M4	1 / 4	MANUAL
CHR0250W14CS	M4	1 / 4	MANUAL
CHR0250W14CS	M4	1 / 4	MANUAL
CHR0250W14CS	M4	1 / 4	MANUAL
CHR0250W14CS	M4	1 / 4	MANUAL
CHR0250W14CS	M4	1 / 4	MANUAL
CHR0250W14CS	M4	1 / 4	MANUAL
CHR0250W14CS	M4	1 / 4	MANUAL

*OTHER HOIST SPEEDS AVAILABLE




0.5t JIB CRANE SELECTION CHART




NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
								Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	MANUAL	3872	290	200	JIB-FSUB005X03032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14
4	3.2	M3/M4	MANUAL	3968	290	200	JIB-FSUB005X04032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14
5	3.2	M3/M4	MANUAL	4022	310	200	JIB-FSUB005X05032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14
6	3.2	M3/M4	MANUAL	4026	385	200	JIB-FSUB005X06032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14
7	3.2	M3/M4	MANUAL	4076	385	200	JIB-FSUB005X07032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14
8	3.2	M3/M4	MANUAL	4127	385	200	JIB-FSUB005X08032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14
9	3.2	M3/M4	MANUAL	4203	440	200	JIB-FSUB005X09032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14
10	3.2	M3/M4	MANUAL	4277	440	200	JIB-FSUB005X10032H-MS-PC-FP-N	CHR0500W14CE	M4	1 / 4	7 / 14




1t JIB CRANE SELECTION CHART




NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
								Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	MANUAL	3982	310	250	JIB-FSUB010X03032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14
4	3.2	M3/M4	MANUAL	4034	335	250	JIB-FSUB010X04032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14
5	3.2	M3/M4	MANUAL	4086	385	250	JIB-FSUB010X05032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14
6	3.2	M3/M4	MANUAL	4184	385	250	JIB-FSUB010X06032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14
7	3.2	M3/M4	MANUAL	4190	440	250	JIB-FSUB010X07032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14
8	3.2	M3/M4	MANUAL	4332	440	250	JIB-FSUB010X08032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14
9	3.2	M3/M4	MANUAL	4342	470	250	JIB-FSUB010X09032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14
10	3.2	M3/M4	MANUAL	4440	470	250	JIB-FSUB010X10032H-MS-PC-FP-N	CHR1000WR14CE	M4	1 / 4	7 / 14

*OTHER HOIST SPEEDS AVAILABLE





2t JIB CRANE SELECTION CHART




NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
								Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	MANUAL	4311	335	285	JIB-FSUB020X03032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14
4	3.2	M3/M4	MANUAL	4314	385	285	JIB-FSUB020X04032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14
5	3.2	M3/M4	MANUAL	4409	440	285	JIB-FSUB020X05032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14
6	3.2	M3/M4	MANUAL	4488	440	285	JIB-FSUB020X06032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14
7	3.2	M3/M4	MANUAL	4562	470	285	JIB-FSUB020X07032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14
8	3.2	M3/M4	MANUAL	4655	495	285	JIB-FSUB020X08032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14
9	3.2	M3/M4	MANUAL	4665	495	285	JIB-FSUB020X09032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14
10	3.2	M3/M4	MANUAL	4765	520	285	JIB-FSUB020X10032H-MS-PC-FP-N	CHR2000WR14CE	M4	1 / 4	7 / 14

*MANUAL TROLLEY OPTIONS AVAILABLE



3.2t JIB CRANE SELECTION CHART





--- = SUBSTITUTE FOR REQUIRED SPEED & 2-SPEED OR
HYPERSPEED & i-GLIDE
e.g. KEAH02008-31-4/1-L024 **V20V**


NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	Max Tip Speed (m/min)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
									Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	1.0	20	4139	385	445	JIB-FSUB032X03032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6	RWM CHAIN HOIST 1/4 m/min FOR KEAH: REFER TO HOIST SELECTION CHARTS FOR AVAILABLE SPEEDS	RWM CHAIN HOIST: 7 / 14 KEAH HOIST: 20
4	3.2	M3/M4	0.8	20	4234	440	445	JIB-FSUB032X04032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6		
5	3.2	M3/M4	0.6	20	4313	470	445	JIB-FSUB032X05032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6		
6	3.2	M3/M4	0.5	20	4387	495	445	JIB-FSUB032X06032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6		
7	3.2	M3/M4	0.4	20	4480	495	445	JIB-FSUB032X07032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6		
8	3.2	M3/M4	0.4	20	4490	520	445	JIB-FSUB032X08032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6		
9	3.2	M3/M4	0.3	20	4590	545	445	JIB-FSUB032X09032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6		
10	3.2	M3/M4	0.3	20	4596	570	445	JIB-FSUB032X10032H-PS-PC-RP-N	KEAH02008-__-4/1-L024----	M6		

*CHAIN HOIST OPTIONS ALSO AVAILABLE




5t JIB CRANE SELECTION CHART



___ = SUBSTITUTE FOR REQUIRED SPEED & 2-SPEED OR
HYPER SPEED & i-GLIDE
e.g. KEAH02012-23-4/1-L024 V20V


NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	Max Tip Speed (m/min)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
									Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	1.0	20	4240	385	445	JIB-FSUB050X03032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4	RWM CHAIN HOIST 1/4 m/min FOR KEAH: REFER TO HOIST SELECTION CHARTS FOR AVAILABLE SPEEDS	RWM CHAIN HOIST: 7 / 14 KEAH HOIST: 20
4	3.2	M3/M4	0.8	20	4313	440	445	JIB-FSUB050X04032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4		
5	3.2	M3/M4	0.6	20	4387	470	445	JIB-FSUB050X05032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4		
6	3.2	M3/M4	0.5	20	4480	495	445	JIB-FSUB050X06032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4		
7	3.2	M3/M4	0.4	20	4490	520	445	JIB-FSUB050X07032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4		
8	3.2	M3/M4	0.4	20	4590	545	445	JIB-FSUB050X08032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4		
9	3.2	M3/M4	0.3	20	4596	600	445	JIB-FSUB050X09032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4		
10	3.2	M3/M4	0.3	20	4816	662.5	445	JIB-FSUB050X10032H-PS-PC-RP-N	KEAH02012-___-4/1-L024-___	M3/M4		




6.3t JIB CRANE SELECTION CHART

--- = SUBSTITUTE FOR REQUIRED SPEED & 2-SPEED OR
HYPER SPEED & i-GLIDE
e.g. KEAH03016-18-4/1-L024 **V20V**




NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	Max Tip Speed (m/min)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
									Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	1.0	20	4477	385	500	JIB-FSUB063X03032H-PS-PC-RP-N	KEAH03016- ---4/1-L024---	M5	REFER TO HOIST SELECTION CHARTS FOR AVAILABLE SPEEDS	20
4	3.2	M3/M4	0.8	20	4477	440	500	JIB-FSUB063X04032H-PS-PC-RP-N	KEAH03016- ---4/1-L024---	M5		20
5	3.2	M3/M4	0.6	20	4482	495	500	JIB-FSUB063X05032H-PS-PC-RP-N	KEAH03016- ---4/1-L024---	M5		20
6	3.2	M3/M4	0.5	20	4580	520	500	JIB-FSUB063X06032H-PS-PC-RP-N	KEAH03016- ---4/1-L024---	M5		20
7	3.2	M3/M4	0.4	20	4680	545	500	JIB-FSUB063X07032H-PS-PC-RP-N	KEAH03016- ---4/1-L024---	M5		20
8	3.2	M3/M4	0.4	20	4686	600	500	JIB-FSUB063X08032H-PS-PC-RP-N	KEAH03016- ---4/1-L024---	M5		20




8t JIB CRANE SELECTION CHART

--- = SUBSTITUTE FOR REQUIRED SPEED & 2-SPEED OR
HYPER SPEED & i-GLIDE
e.g. KEAH03020-16-4/1-L024**V20V**




NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	Max Tip Speed (m/min)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
									Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	1.0	20	4477	440	500	JIB-FSUB080X03032H-PS-PC-RP-N	KEAH03020- ---4/1-L024---	M3/M4	REFER TO HOIST SELECTION CHARTS FOR AVAILABLE SPEEDS	20
4	3.2	M3/M4	0.8	20	4482	470	500	JIB-FSUB080X04032H-PS-PC-RP-N	KEAH03020- ---4/1-L024---	M3/M4		20
5	3.2	M3/M4	0.6	20	4570	495	500	JIB-FSUB080X05032H-PS-PC-RP-N	KEAH03020- ---4/1-L024---	M3/M4		20
6	3.2	M3/M4	0.5	20	4680	545	500	JIB-FSUB080X06032H-PS-PC-RP-N	KEAH03020- ---4/1-L024---	M3/M4		20
7	3.2	M3/M4	0.4	20	4686	600	500	JIB-FSUB080X07032H-PS-PC-RP-N	KEAH03020- ---4/1-L024---	M3/M4		20



10t JIB CRANE SELECTION CHART

-- = SUBSTITUTE FOR REQUIRED SPEED & 2-SPEED OR
HYPER SPEED & i-GLIDE
e.g. KEAH04025-18-4/1-L024 **V20V**



NOTE: JIB STOCK CODE DOES NOT INCLUDE HOISTS. HOISTS MUST BE ORDERED SEPARATELY

Reach (m)	Height of Lift (m)	Crane Duty	Slew Speeds (rpm)	Max Tip Speed (m/min)	TH (mm)	CB (mm)	K (mm)	Jib Stock Code	RECOMMENDED HOIST TO SUIT JIB CRANE			
									Hoist Model	Hoist Duty	Hoist Speeds (m/min)	Travel Speeds (m/min)
3	3.2	M3/M4	1.0	20	4472	440	500	JIB-FSUB100X03032H-PS-PC-RP-N	KEAH04025- -- -4/1-L024 -- --	M5	REFER TO HOIST SELECTION CHARTS FOR AVAILABLE SPEEDS	20
4	3.2	M3/M4	0.8	20	4570	495	500	JIB-FSUB100X04032H-PS-PC-RP-N	KEAH04025- -- -4/1-L024 -- --	M5		20
5	3.2	M3/M4	0.6	20	4570	545	500	JIB-FSUB100X05032H-PS-PC-RP-N	KEAH04025- -- -4/1-L024 -- --	M5		20
6	3.2	M3/M4	0.5	20	4670	600	500	JIB-FSUB100X06032H-PS-PC-RP-N	KEAH04025- -- -4/1-L024 -- --	M5		20

Victoria

Head Office

7-11 Nathan Road
DANDENONG VIC 3175
Tel: +61 3 9797 6666
Fax: +61 3 9793 3022
Email: sales_vic@jdn.com.au

Queensland

14 Freight Street
YATALA QLD 4207
Tel: +61 7 3807 7852
Fax: +61 7 3807 3460
Email: sales_qld@jdn.com.au

South Australia

Unit 3, 59 Kapara Road
GILLMAN SA 5013
Tel: +61 8 8447 2266
Fax: +61 8 8447 2277
Email: sales_sa@jdn.com.au

New South Wales

Tel: +61 2 9773 7714
Fax: +61 2 9773 7914

Web: www.jdn.com.au

New Zealand

16 Tavern Road
SILVERDALE AUCKLAND 2001
Tel: +64 9 426 7636
Fax: +64 9 426 9888

Web: www.monocrane.co.nz
Email: admin@monocrane.co.nz

