





JDN MONOCRANE



KEAH SERIES HOIST 2/1 REEVING **HYPERSPEED** SELECTION CHART

--- = SUBSTITUTE FOR REQUIRED DRUM LENGTH
e.g. KEAH02005-30/36-2/1-L**024**H20I

* = THIS SPEED ONLY AVAILABLE WITH LOAD LESS THAN 25% OF MRC

*** CROSS BOLT KIT MUST BE ORDERED SEPARATELY**

M3 M4	M5	M6	M7	M8	Hoist Speed (m/min)		Hoist Model	Hoist Speed (m/min)		Hoist Model	Hoist Speed (m/min)		Hoist Model	Drum length	Height of Lift (m)	Motor kW
					ON	OFF		ON	OFF		ON	OFF				
				0.4				42*/21/3.5	21/10.5/1.8	KEAH01002-35/42-2/1-L__H20I	60*/30/5	30/15/2.5	KEAH01002-50/60-2/1-L__H20I	024	12	M = 1.5
				0.5				32*/16/2.7	16/8/1.4	KEAH01002-26/32-2/1-L__H20I	52*/26/4.4	26/13/2.2	KEAH01002-43/52-2/1-L__H20I	040	20	F = 2.2
				0.6				28*/14/2.4	14/7/1.2	KEAH01003-23/28-2/1-L__H20I	42*/21/3.5	21/10.5/1.8	KEAH01003-35/42-2/1-L__H20I			
				0.8				22*/11/1.9	11/5.5/1	KEAH01004-19/22-2/1-L__H20I	32*/16/2.7	16/8/1.4	KEAH01004-26/32-2/1-L__H20I			
				1.0				19*/9.5/1.6	9.5/4.8/0.8	KEAH01005-16/19-2/1-L__H20I	32*/16/2.7	16/8/1.4	KEAH01005-26/32-2/1-L__H20I			
				1.0	36*/18/3	18/9/1.5	KEAH02005-30/36-2/1-L__H20I	46*/23/3.9	23/11.5/2	KEAH02005-38/46-2/1-L__H20I	67*/33.5/5.6	33.5/16.8/2.8	KEAH02005-56/67-2/1-L__H20I	024	12	S = 3.0
				1.25	30*/15/2.5	15/7.5/1.3	KEAH02006-25/30-2/1-L__H20I	36*/18/3	18/9/1.5	KEAH02006-30/36-2/1-L__H20I	53*/26.5/4.5	26.5/13.3/2.3	KEAH02006-44/53-2/1-L__H20I	040	20	M = 4.0
				1.6	22*/11/1.9	11/5.5/1	KEAH02008-18/22-2/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH02008-25/30-2/1-L__H20I	42*/21/3.5	21/10.5/1.8	KEAH02008-35/42-2/1-L__H20I	060	30	F = 7.5
				2.0	19*/9.5/1.6	9.5/4.8/0.8	KEAH02010-16/19-2/1-L__H20I	22*/11/1.9	11/5.5/1	KEAH02010-18/22-2/1-L__H20I	34*/17/2.9	17/8.5/1.5	KEAH02010-29/34-2/1-L__H20I			
				2.5	17*/8.5/1.5	8.5/4.3/0.8	KEAH02012-14/17-2/1-L__H20I	22*/11/1.9	11/5.5/1	KEAH02012-18/22-2/1-L__H20I	34*/17/2.9	17/8.5/1.5	KEAH02012-29/34-2/1-L__H20I			
				1.6	30*/15/2.5	15/7.5/1.3	KEAH03008-25/30-2/1-L__H20I	42*/21/3.5	21/10.5/1.8	KEAH03008-35/42-2/1-L__H20I	58*/29/4.9	29/14.5/2.5	KEAH03008-48/58-2/1-L__H20I	024	12	S = 4.0
				2.0	24*/12/2	12/6/1	KEAH03010-20/24-2/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH03010-25/30-2/1-L__H20I	46*/23/3.9	23/11.5/2	KEAH03010-38/46-2/1-L__H20I	040	20	M = 5.5
				2.5	21*/10.5/1.8	10.5/5.3/0.9	KEAH03012-17/21-2/1-L__H20I	27*/13.5/2.3	13.5/6.8/1.2	KEAH03012-22/27-2/1-L__H20I	36*/18/3	18/9/1.5	KEAH03012-30/36-2/1-L__H20I	060	30	F = 7.5
				3.2	16*/8/1.4	8/4/0.7	KEAH03016-14/16-2/1-L__H20I	21*/10.5/1.8	10.5/5.3/0.9	KEAH03016-17/21-2/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH03016-25/30-2/1-L__H20I			
				4.0	14*/7/1.2	7/3.5/0.6	KEAH03020-11/14-2/1-L__H20I	19*/9.5/1.6	9.5/4.8/0.8	KEAH03020-16/19-2/1-L__H20I	27*/13.5/2.3	13.5/6.8/1.2	KEAH03020-22/27-2/1-L__H20I			
				2.5	26*/13/2.2	13/6.5/1.1	KEAH04012-22/26-2/1-L__H20I	35*/17.5/3	17.5/8.8/1.5	KEAH04012-29/35-2/1-L__H20I	50*/25/4.2	25/12.5/2.1	KEAH04012-42/50-2/1-L__H20I	024	12	S = 5.5
				3.2	21*/10.5/1.8	10.5/5.3/0.9	KEAH04016-17/21-2/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH04016-25/30-2/1-L__H20I	41*/20.5/3.5	20.5/10.3/1.8	KEAH04016-34/41-2/1-L__H20I	040	20	M = 7.5
				4.0	17*/8.5/1.5	8.5/4.3/0.8	KEAH04020-14/17-2/1-L__H20I	23*/11.5/2	11.5/5.8/1	KEAH04020-20/23-2/1-L__H20I	34*/17/2.9	17/8.5/1.5	KEAH04020-28/34-2/1-L__H20I	060	30	F = 11
				5	13*/6.5/1.1	6.5/3.3/0.6	KEAH04025-11/13-2/1-L__H20I	21*/10.5/1.8	10.5/5.3/0.9	KEAH04025-17/21-2/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH04025-25/30-2/1-L__H20I	080	40	
				6.3	12*/6/1	6/3/0.5	KEAH04032-10/12-2/1-L__H20I	17*/8.5/1.5	8.5/4.3/0.8	KEAH04032-14/17-2/1-L__H20I	24*/12/2	12/6/1	KEAH04032-20/24-2/1-L__H20I	100	50	
														120	60	
				3.2	28*/14/2.4	14/7/1.2	KEAH05016-23/28-2/1-L__H20I	33*/16.5/2.8	16.5/8.3/1.4	KEAH05016-28/33-2/1-L__H20I	38*/19/3.2	19/9.5/1.6	KEAH05016-32/38-2/1-L__H20I	024	12	S = 7.5
				4.0	22*/11/1.9	11/5.5/1	KEAH05020-19/22-2/1-L__H20I	28*/14/2.4	14/7/1.2	KEAH05020-24/28-2/1-L__H20I	33*/16.5/2.8	16.5/8.3/1.4	KEAH05020-28/33-2/1-L__H20I	040	20	M = 9.2
				5	18*/9/1.5	9/4.5/0.8	KEAH05025-15/18-2/1-L__H20I	23*/11.5/2	11.5/5.8/1	KEAH05025-19/23-2/1-L__H20I	28*/14/2.4	14/7/1.2	KEAH05025-24/28-2/1-L__H20I	060	30	F = 11
				6.3	14*/7/1.2	7/3.5/0.6	KEAH05032-12/14-2/1-L__H20I	18*/9/1.5	9/4.5/0.8	KEAH05032-15/18-2/1-L__H20I	23*/11.5/2	11.5/5.8/1	KEAH05032-19/23-2/1-L__H20I	080	40	
				8	12*/6/1	6/3/0.5	KEAH05040-10/12-2/1-L__H20I	16*/8/1.4	8/4/0.7	KEAH05040-14/16-2/1-L__H20I	20*/10/1.7	10/5/0.9	KEAH05040-16/20-2/1-L__H20I	100	50	
														120	60	
				4.0	26*/13/2.2	13/6.5/1.1	KEAH06020-22/26-2/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH06020-25/30-2/1-L__H20I	41*/20.5/3.5	20.5/10.3/1.8	KEAH06020-35/41-2/1-L__H20I	040	20	S = 9.2
				5	21*/10.5/1.8	10.5/5.3/0.9	KEAH06025-17/21-2/1-L__H20I	26*/13/2.2	13/6.5/1.1	KEAH06025-22/26-2/1-L__H20I	35*/17.5/3	17.5/8.8/1.5	KEAH06025-29/35-2/1-L__H20I	060	30	M = 11
				6.3	17*/8.5/1.5	8.5/4.3/0.8	KEAH06032-14/17-2/1-L__H20I	21*/10.5/1.8	10.5/5.3/0.9	KEAH06032-17/21-2/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH06032-26/30-2/1-L__H20I	080	40	F = 15
				8	15*/7.5/1.3	7.5/3.8/0.7	KEAH06040-12/15-2/1-L__H20I	17*/8.5/1.5	8.5/4.3/0.8	KEAH06040-14/17-2/1-L__H20I	24*/12/2	12/6/1	KEAH06040-20/24-2/1-L__H20I	100	50	
				10	12*/6/1	6/3/0.5	KEAH06050-10/12-2/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH06050-12/15-2/1-L__H20I	20*/10/1.7	10/5/0.9	KEAH06050-17/20-2/1-L__H20I	120	60	
				6.3	20*/10/1.7	10/5/0.9	KEAH07032-16/20-2/1-L__H20I	28*/14/2.4	14/7/1.2	KEAH07032-23/28-2/1-L__H20I	36*/18/3	18/9/1.5	KEAH07032-30/36-2/1-L__H20I	040	20	S = 11
				8	15*/7.5/1.3	7.5/3.8/0.7	KEAH07040-13/15-2/1-L__H20I	22*/11/1.9	11/5.5/1	KEAH07040-19/22-2/1-L__H20I	28*/14/2.4	14/7/1.2	KEAH07040-23/28-2/1-L__H20I	060	30	M = 15
				10	13*/6.5/1.1	6.5/3.3/0.6	KEAH07050-10/13-2/1-L__H20I	20*/10/1.7	10/5/0.9	KEAH07050-17/20-2/1-L__H20I	23*/11.5/2	11.5/5.8/1	KEAH07050-19/23-2/1-L__H20I	080	40	F = 18.5
				12.5	11*/5.5/1	5.5/2.8/0.5	KEAH07063-09/11-2/1-L__H20I	16*/8/1.4	8/4/0.7	KEAH07063-13/16-2/1-L__H20I	20*/10/1.7	10/5/0.9	KEAH07063-17/20-2/1-L__H20I	100	50	
				16	10*/5/0.9	5/2.5/0.5	KEAH07080-08/10-2/1-L__H20I	13*/6.5/1.1	6.5/3.3/0.6	KEAH07080-11/13-2/1-L__H20I	16*/8/1.4	8/4/0.7	KEAH07080-13/16-2/1-L__H20I	120	60	



JDN MONOCRANE



KEAH SERIES HOIST 2/1 REEVING 2-SPEED SELECTION CHART

--- = SUBSTITUTE FOR REQUIRED DRUM LENGTH
e.g. KEAH02005-30/36-2/1-L**024**V20V

* = THIS SPEED ONLY AVAILABLE WITH LOAD LESS THAN 25% OF MRC

*** CROSS BOLT KIT MUST BE ORDERED SEPARATELY**

M3 M4	M5	M6	M7	M8	Hoist Speed (m/min)	Hoist Model	Hoist Speed (m/min)	Hoist Model	Hoist Speed (m/min)	Hoist Model	Drum length	Height of Lift (m)	Motor kW
				0.4			3.5 / 21	KEAH01002-35/42-2/1-L__V20V	5 / 30	KEAH01002-50/60-2/1-L__V20V	024	12	M = 1.5
			0.5				2.7 / 16	KEAH01002-26/32-2/1-L__V20V	4.4 / 26	KEAH01002-43/52-2/1-L__V20V	040	20	F = 2.2
		0.6					2.4 / 14	KEAH01003-23/28-2/1-L__V20V	3.5 / 21	KEAH01003-35/42-2/1-L__V20V			
	0.8						1.9 / 11	KEAH01004-19/22-2/1-L__V20V	2.7 / 16	KEAH01004-26/32-2/1-L__V20V			
1.0							1.6 / 9.5	KEAH01005-16/19-2/1-L__V20V	2.7 / 16	KEAH01005-26/32-2/1-L__V20V			
			1.0		3 / 18	KEAH02005-30/36-2/1-L__V20V	3.9 / 23	KEAH02005-38/46-2/1-L__V20V	5.6 / 33.5	KEAH02005-56/67-2/1-L__V20V	024	12	S = 3.0
		1.25			2.5 / 15	KEAH02006-25/30-2/1-L__V20V	3 / 18	KEAH02006-30/36-2/1-L__V20V	4.5 / 26.5	KEAH02006-44/53-2/1-L__V20V	040	20	M = 4.0
		1.6			1.9 / 11	KEAH02008-18/22-2/1-L__V20V	2.5 / 15	KEAH02008-25/30-2/1-L__V20V	3.5 / 21	KEAH02008-35/42-2/1-L__V20V	060	30	F = 7.5
	2.0				1.6 / 9.5	KEAH02010-16/19-2/1-L__V20V	1.9 / 11	KEAH02010-18/22-2/1-L__V20V	2.9 / 17	KEAH02010-29/34-2/1-L__V20V			
2.5					1.5 / 8.5	KEAH02012-14/17-2/1-L__V20V	1.9 / 11	KEAH02012-18/22-2/1-L__V20V	2.9 / 17	KEAH02012-29/34-2/1-L__V20V			
			1.6		2.5 / 15	KEAH03008-25/30-2/1-L__V20V	3.5 / 21	KEAH03008-35/42-2/1-L__V20V	4.9 / 29	KEAH03008-48/58-2/1-L__V20V	024	12	S = 4.0
		2.0			2 / 12	KEAH03010-20/24-2/1-L__V20V	2.5 / 15	KEAH03010-25/30-2/1-L__V20V	3.9 / 23	KEAH03010-38/46-2/1-L__V20V	040	20	M = 5.5
		2.5			1.8 / 10.5	KEAH03012-17/21-2/1-L__V20V	2.3 / 13.5	KEAH03012-22/27-2/1-L__V20V	3 / 18	KEAH03012-30/36-2/1-L__V20V	060	30	F = 7.5
	3.2				1.4 / 8	KEAH03016-14/16-2/1-L__V20V	1.8 / 10.5	KEAH03016-17/21-2/1-L__V20V	2.5 / 15	KEAH03016-25/30-2/1-L__V20V			
4.0					1.2 / 7	KEAH03020-11/14-2/1-L__V20V	1.6 / 9.5	KEAH03020-16/19-2/1-L__V20V	2.3 / 13.5	KEAH03020-22/27-2/1-L__V20V			
			2.5		2.2 / 13	KEAH04012-22/26-2/1-L__V20V	3 / 17.5	KEAH04012-29/35-2/1-L__V20V	4.2 / 25	KEAH04012-42/50-2/1-L__V20V	024	12	S = 5.5
		3.2			1.8 / 10.5	KEAH04016-17/21-2/1-L__V20V	2.5 / 15	KEAH04016-25/30-2/1-L__V20V	3.5 / 20.5	KEAH04016-34/41-2/1-L__V20V	040	20	M = 7.5
	4.0				1.5 / 8.5	KEAH04020-14/17-2/1-L__V20V	2 / 11.5	KEAH04020-20/23-2/1-L__V20V	2.9 / 17	KEAH04020-28/34-2/1-L__V20V	060	30	F = 11
	5				1.1 / 6.5	KEAH04025-11/13-2/1-L__V20V	1.8 / 10.5	KEAH04025-17/21-2/1-L__V20V	2.5 / 15	KEAH04025-25/30-2/1-L__V20V	080	40	
6.3					1 / 6	KEAH04032-10/12-2/1-L__V20V	1.5 / 8.5	KEAH04032-14/17-2/1-L__V20V	2 / 12	KEAH04032-20/24-2/1-L__V20V	100	50	
											120	60	
			3.2		2.4 / 14	KEAH05016-23/28-2/1-L__V20V	2.8 / 16.5	KEAH05016-28/33-2/1-L__V20V	3.2 / 19	KEAH05016-32/38-2/1-L__V20V	024	12	S = 7.5
		4.0			1.9 / 11	KEAH05020-19/22-2/1-L__V20V	2.4 / 14	KEAH05020-24/28-2/1-L__V20V	2.8 / 16.5	KEAH05020-28/33-2/1-L__V20V	040	20	M = 9.2
		5			1.5 / 9	KEAH05025-15/18-2/1-L__V20V	2 / 11.5	KEAH05025-19/23-2/1-L__V20V	2.4 / 14	KEAH05025-24/28-2/1-L__V20V	060	30	F = 11
	6.3				1.2 / 7	KEAH05032-12/14-2/1-L__V20V	1.5 / 9	KEAH05032-15/18-2/1-L__V20V	2 / 11.5	KEAH05032-19/23-2/1-L__V20V	080	40	
8					1 / 6	KEAH05040-10/12-2/1-L__V20V	1.4 / 8	KEAH05040-14/16-2/1-L__V20V	1.7 / 10	KEAH05040-16/20-2/1-L__V20V	100	50	
											120	60	
			4.0		2.2 / 13	KEAH06020-22/26-2/1-L__V20V	2.5 / 15	KEAH06020-25/30-2/1-L__V20V	3.5 / 20.5	KEAH06020-35/41-2/1-L__V20V	040	20	S = 9.2
		5			1.8 / 10.5	KEAH06025-17/21-2/1-L__V20V	2.2 / 13	KEAH06025-22/26-2/1-L__V20V	3 / 17.5	KEAH06025-29/35-2/1-L__V20V	060	30	M = 11
		6.3			1.5 / 8.5	KEAH06032-14/17-2/1-L__V20V	1.8 / 10.5	KEAH06032-17/21-2/1-L__V20V	2.5 / 15	KEAH06032-26/30-2/1-L__V20V	080	40	F = 15
	8				1.3 / 7.5	KEAH06040-12/15-2/1-L__V20V	1.5 / 8.5	KEAH06040-14/17-2/1-L__V20V	2 / 12	KEAH06040-20/24-2/1-L__V20V	100	50	
10					1 / 6	KEAH06050-10/12-2/1-L__V20V	1.3 / 7.5	KEAH06050-12/15-2/1-L__V20V	1.7 / 10	KEAH06050-17/20-2/1-L__V20V	120	60	
			6.3		1.7 / 10	KEAH07032-16/20-2/1-L__V20V	2.4 / 14	KEAH07032-23/28-2/1-L__V20V	3 / 18	KEAH07032-30/36-2/1-L__V20V	040	20	S = 11
		8			1.3 / 7.5	KEAH07040-13/15-2/1-L__V20V	1.9 / 11	KEAH07040-19/22-2/1-L__V20V	2.4 / 14	KEAH07040-23/28-2/1-L__V20V	060	30	M = 15
	10				1.1 / 6.5	KEAH07050-10/13-2/1-L__V20V	1.7 / 10	KEAH07050-17/20-2/1-L__V20V	2 / 11.5	KEAH07050-19/23-2/1-L__V20V	080	40	F = 18.5
	12.5				1 / 5.5	KEAH07063-09/11-2/1-L__V20V	1.4 / 8	KEAH07063-13/16-2/1-L__V20V	1.7 / 10	KEAH07063-17/20-2/1-L__V20V	100	50	
16					0.9 / 5	KEAH07080-08/10-2/1-L__V20V	1.1 / 6.5	KEAH07080-11/13-2/1-L__V20V	1.4 / 8	KEAH07080-13/16-2/1-L__V20V	120	60	



JDN MONOCRANE



KEAH SERIES HOIST 4/1 REEVING **HYPERSPEED** SELECTION CHART

--- = SUBSTITUTE FOR REQUIRED DRUM LENGTH
e.g. KEAH02005-30/36-4/1-L-024H20I

* = THIS SPEED ONLY AVAILABLE WITH LOAD LESS THAN 25% OF MRC

*** CROSS BOLT KIT MUST BE ORDERED SEPARATELY**

M3 M4					Hoist Speed (m/min)		Hoist Model	Hoist Speed (m/min)		Hoist Model	Hoist Speed (m/min)		Hoist Model	Drum length	Height of Lift (m)	Motor kW
M5	M6	M7	M8	ON	OFF	ON		OFF	ON		OFF					
2.0	1.6	1.25	0.8				21*/10.5/1.8	10.5/5.3/0.9	KEAH01002-35/42-4/1-L__H20I	30*/15/2.5	15/7.5/1.3	KEAH01002-50/60-4/1-L__H20I	024	6	M = 1.5	
			1.0				16*/8/1.4	8/4/0.7	KEAH01002-26/32-4/1-L__H20I	26*/13/2.2	13/6.5/1.1	KEAH01002-43/52-4/1-L__H20I	040	10	F = 2.2	
							14*/7/1.2	7/3.5/0.6	KEAH01003-23/28-4/1-L__H20I	21*/10.5/1.8	10.5/5.3/0.9	KEAH01003-35/42-4/1-L__H20I				
							11*/5.5/1	5.5/2.8/0.5	KEAH01004-19/22-4/1-L__H20I	16*/8/1.4	8/4/0.7	KEAH01004-26/32-4/1-L__H20I				
							9.5*/4.8/0.8	4.8/2.4/0.4	KEAH01005-16/19-4/1-L__H20I	16*/8/1.4	8/4/0.7	KEAH01005-26/32-4/1-L__H20I				
5.0	4.0	3.2	2.0	18*/9/1.5	9/4.5/0.8	KEAH02005-30/36-4/1-L__H20I	23*/11.5/2	11.5/5.8/1	KEAH02005-38/46-4/1-L__H20I	33.5*/16.8/2.8	16.8/8.4/1.4	KEAH02005-56/67-4/1-L__H20I	024	6	S = 3.0	
			2.5	15*/7.5/1.3	7.5/3.8/0.7	KEAH02006-25/30-4/1-L__H20I	18*/9/1.5	9/4.5/0.8	KEAH02006-30/36-4/1-L__H20I	26.5*/13.3/2.3	13.3/6.7/1.2	KEAH02006-44/53-4/1-L__H20I	040	10	M = 4.0	
				11*/5.5/1	5.5/2.8/0.5	KEAH02008-18/22-4/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH02008-25/30-4/1-L__H20I	21*/10.5/1.8	10.5/5.3/0.9	KEAH02008-35/42-4/1-L__H20I	060	15	F = 7.5	
				9.5*/4.8/0.8	4.8/2.4/0.4	KEAH02010-16/19-4/1-L__H20I	11*/5.5/1	5.5/2.8/0.5	KEAH02010-18/22-4/1-L__H20I	17*/8.5/1.5	8.5/4.3/0.8	KEAH02010-29/34-4/1-L__H20I				
				8.5*/4.3/0.8	4.3/2.2/0.4	KEAH02012-14/17-4/1-L__H20I	11*/5.5/1	5.5/2.8/0.5	KEAH02012-18/22-4/1-L__H20I	17*/8.5/1.5	8.5/4.3/0.8	KEAH02012-29/34-4/1-L__H20I				
8.0	6.3	5.0	3.2	15*/7.5/1.3	7.5/3.8/0.7	KEAH03008-25/30-4/1-L__H20I	21*/10.5/1.8	10.5/5.3/0.9	KEAH03008-35/42-4/1-L__H20I	29*/14.5/2.5	14.5/7.3/1.3	KEAH03008-48/58-4/1-L__H20I	024	6	S = 4.0	
			4.0	12*/6/1	6/3/0.5	KEAH03010-20/24-4/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH03010-25/30-4/1-L__H20I	23*/11.5/2	11.5/5.8/1	KEAH03010-38/46-4/1-L__H20I	040	10	M = 5.5	
				10.5*/5.3/0.9	5.3/2.7/0.5	KEAH03012-17/21-4/1-L__H20I	13.5*/6.8/1.2	6.8/3.4/0.6	KEAH03012-22/27-4/1-L__H20I	18*/9/1.5	9/4.5/0.8	KEAH03012-30/36-4/1-L__H20I	060	15	F = 7.5	
				8*/4/0.7	4/2/0.4	KEAH03016-14/16-4/1-L__H20I	10.5*/5.3/0.9	5.3/2.7/0.5	KEAH03016-17/21-4/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH03016-25/30-4/1-L__H20I				
				7*/3.5/0.6	3.5/1.8/0.3	KEAH03020-11/14-4/1-L__H20I	9.5*/4.8/0.8	4.8/2.4/0.4	KEAH03020-16/19-4/1-L__H20I	13.5*/6.8/1.2	6.8/3.4/0.6	KEAH03020-22/27-4/1-L__H20I				
12.5	10	8.0	5.0	13*/6.5/1.1	6.5/3.3/0.6	KEAH04012-22/26-4/1-L__H20I	17.5*/8.8/1.5	8.8/4.4/0.8	KEAH04012-29/35-4/1-L__H20I	25*/12.5/2.1	12.5/6.3/1.1	KEAH04012-42/50-4/1-L__H20I	024	6	S = 5.5	
			6.3	10.5*/5.3/0.9	5.3/2.7/0.5	KEAH04016-17/21-4/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH04016-25/30-4/1-L__H20I	20.5*/10.3/1.8	10.3/5.2/0.9	KEAH04016-34/41-4/1-L__H20I	040	10	M = 7.5	
				8.5*/4.3/0.8	4.3/2.2/0.4	KEAH04020-14/17-4/1-L__H20I	11.5*/5.8/1	5.8/2.9/0.5	KEAH04020-20/23-4/1-L__H20I	17*/8.5/1.5	8.5/4.3/0.8	KEAH04020-28/34-4/1-L__H20I	060	15	F = 11	
				6.5*/3.3/0.6	3.3/1.7/0.3	KEAH04025-11/13-4/1-L__H20I	10.5*/5.3/0.9	5.3/2.7/0.5	KEAH04025-17/21-4/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH04025-25/30-4/1-L__H20I	080	20		
				6*/3/0.5	3/1.5/0.3	KEAH04032-10/12-4/1-L__H20I	8.5*/4.3/0.8	4.3/2.2/0.4	KEAH04032-14/17-4/1-L__H20I	12*/6/1	6/3/0.5	KEAH04032-20/24-4/1-L__H20I	100	25		
												120	30			
16	12.5	10	6.3	14*/7/1.2	7/3.5/0.6	KEAH05016-23/28-4/1-L__H20I	16.5*/8.3/1.4	8.3/4.2/0.7	KEAH05016-28/33-4/1-L__H20I	19*/9.5/1.6	9.5/4.8/0.8	KEAH05016-32/38-4/1-L__H20I	024	6	S = 7.5	
			8.0	11*/5.5/1	5.5/2.8/0.5	KEAH05020-19/22-4/1-L__H20I	14*/7/1.2	7/3.5/0.6	KEAH05020-24/28-4/1-L__H20I	16.5*/8.3/1.4	8.3/4.2/0.7	KEAH05020-28/33-4/1-L__H20I	040	10	M = 9.2	
				9*/4.5/0.8	4.5/2.3/0.4	KEAH05025-15/18-4/1-L__H20I	11.5*/5.8/1	5.8/2.9/0.5	KEAH05025-19/23-4/1-L__H20I	14*/7/1.2	7/3.5/0.6	KEAH05025-24/28-4/1-L__H20I	060	15	F = 11	
				7*/3.5/0.6	3.5/1.8/0.3	KEAH05032-12/14-4/1-L__H20I	9*/4.5/0.8	4.5/2.3/0.4	KEAH05032-15/18-4/1-L__H20I	11.5*/5.8/1	5.8/2.9/0.5	KEAH05032-19/23-4/1-L__H20I	080	20		
				6*/3/0.5	3/1.5/0.3	KEAH05040-10/12-4/1-L__H20I	8*/4/0.7	4/2/0.4	KEAH05040-14/16-4/1-L__H20I	10*/5/0.9	5/2.5/0.5	KEAH05040-16/20-4/1-L__H20I	100	25		
												120	30			
20	16	12.5	8.0	13*/6.5/1.1	6.5/3.3/0.6	KEAH06020-22/26-4/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH06020-25/30-4/1-L__H20I	20.5*/10.3/1.8	10.3/5.2/0.9	KEAH06020-35/41-4/1-L__H20I	040	10	S = 9.2	
				10.5*/5.3/0.9	5.3/2.7/0.5	KEAH06025-17/21-4/1-L__H20I	13*/6.5/1.1	6.5/3.3/0.6	KEAH06025-22/26-4/1-L__H20I	17.5*/8.8/1.5	8.8/4.4/0.8	KEAH06025-29/35-4/1-L__H20I	060	15	M = 11	
				8.5*/4.3/0.8	4.3/2.2/0.4	KEAH06032-14/17-4/1-L__H20I	10.5*/5.3/0.9	5.3/2.7/0.5	KEAH06032-17/21-4/1-L__H20I	15*/7.5/1.3	7.5/3.8/0.7	KEAH06032-26/30-4/1-L__H20I	080	20	F = 15	
				7.5*/3.8/0.7	3.8/1.9/0.4	KEAH06040-12/15-4/1-L__H20I	8.5*/4.3/0.8	4.3/2.2/0.4	KEAH06040-14/17-4/1-L__H20I	12*/6/1	6/3/0.5	KEAH06040-20/24-4/1-L__H20I	100	25		
				6*/3/0.5	3/1.5/0.3	KEAH06050-10/12-4/1-L__H20I	7.5*/3.8/0.7	3.8/1.9/0.4	KEAH06050-12/15-4/1-L__H20I	10*/5/0.9	5/2.5/0.5	KEAH06050-17/20-4/1-L__H20I	120	30		
32	25	20	12.5	10*/5/0.9	5/2.5/0.5	KEAH07032-16/20-4/1-L__H20I	14*/7/1.2	7/3.5/0.6	KEAH07032-23/28-4/1-L__H20I	18*/9/1.5	9/4.5/0.8	KEAH07032-30/36-4/1-L__H20I	040	10	S = 11	
				7.5*/3.8/0.7	3.8/1.9/0.4	KEAH07040-13/15-4/1-L__H20I	11*/5.5/1	5.5/2.8/0.5	KEAH07040-19/22-4/1-L__H20I	14*/7/1.2	7/3.5/0.6	KEAH07040-23/28-4/1-L__H20I	060	15	M = 15	
				6.5*/3.3/0.6	3.3/1.7/0.3	KEAH07050-10/13-4/1-L__H20I	10*/5/0.9	5/2.5/0.5	KEAH07050-17/20-4/1-L__H20I	11.5*/5.8/1	5.8/2.9/0.5	KEAH07050-19/23-4/1-L__H20I	080	20	F = 18.5	
				5.5*/2.8/0.5	2.8/1.4/0.3	KEAH07063-09/11-4/1-L__H20I	8*/4/0.7	4/2/0.4	KEAH07063-13/16-4/1-L__H20I	10*/5/0.9	5/2.5/0.5	KEAH07063-17/20-4/1-L__H20I	100	25		
				5*/2.5/0.5	2.5/1.3/0.3	KEAH07080-08/10-4/1-L__H20I	6.5*/3.3/0.6	3.3/1.7/0.3	KEAH07080-11/13-4/1-L__H20I	8*/4/0.7	4/2/0.4	KEAH07080-13/16-4/1-L__H20I	120	30		



KEAH SERIES HOIST 4/1 REEVING 2-SPEED SELECTION CHART

--- = SUBSTITUTE FOR REQUIRED DRUM LENGTH
e.g. KEAH02005-30/36-4/1-L**024V**20V

= THIS SPEED ONLY AVAILABLE WITH LOAD LESS THAN 25% OF MRC

*** CROSS BOLT KIT MUST BE ORDERED SEPARATELY**

M3 M4	M5	M6	M7	M8	Hoist Speed (m/min)	Hoist Model	Hoist Speed (m/min)	Hoist Model	Hoist Speed (m/min)	Hoist Model	Drum length	Height of Lift (m)	Motor kW
				0.8			1.8 / 10.5	KEAH01002-35/42-4/1-L__V20V	2.5 / 15	KEAH01002-50/60-4/1-L__V20V	024	6	M = 1.5
			1.0				1.4 / 8	KEAH01002-26/32-4/1-L__V20V	2.2 / 13	KEAH01002-43/52-4/1-L__V20V	040	10	F = 2.2
		1.25					1.2 / 7	KEAH01003-23/28-4/1-L__V20V	1.8 / 10.5	KEAH01003-35/42-4/1-L__V20V			
		1.6					1 / 5.5	KEAH01004-19/22-4/1-L__V20V	1.4 / 8	KEAH01004-26/32-4/1-L__V20V			
		2.0					0.8 / 4.8	KEAH01005-16/19-4/1-L__V20V	1.4 / 8	KEAH01005-26/32-4/1-L__V20V			
				2.0	1.5 / 9	KEAH02005-30/36-4/1-L__V20V	2 / 11.5	KEAH02005-38/46-4/1-L__V20V	2.8 / 16.8	KEAH02005-56/67-4/1-L__V20V	024	6	S = 3.0
			2.5		1.3 / 7.5	KEAH02006-25/30-4/1-L__V20V	1.5 / 9	KEAH02006-30/36-4/1-L__V20V	2.3 / 13.3	KEAH02006-44/53-4/1-L__V20V	040	10	M = 4.0
		3.2			1 / 5.5	KEAH02008-18/22-4/1-L__V20V	1.3 / 7.5	KEAH02008-25/30-4/1-L__V20V	1.8 / 10.5	KEAH02008-35/42-4/1-L__V20V	060	15	F = 7.5
	4.0				0.8 / 4.8	KEAH02010-16/19-4/1-L__V20V	1 / 5.5	KEAH02010-18/22-4/1-L__V20V	1.5 / 8.5	KEAH02010-29/34-4/1-L__V20V			
	5.0				0.8 / 4.3	KEAH02012-14/17-4/1-L__V20V	1 / 5.5	KEAH02012-18/22-4/1-L__V20V	1.5 / 8.5	KEAH02012-29/34-4/1-L__V20V			
				3.2	1.3 / 7.5	KEAH03008-25/30-4/1-L__V20V	1.8 / 10.5	KEAH03008-35/42-4/1-L__V20V	2.5 / 14.5	KEAH03008-48/58-4/1-L__V20V	024	6	S = 4.0
			4.0		1 / 6	KEAH03010-20/24-4/1-L__V20V	1.3 / 7.5	KEAH03010-25/30-4/1-L__V20V	2 / 11.5	KEAH03010-38/46-4/1-L__V20V	040	10	M = 5.5
		5.0			0.9 / 5.3	KEAH03012-17/21-4/1-L__V20V	1.2 / 6.8	KEAH03012-22/27-4/1-L__V20V	1.5 / 9	KEAH03012-30/36-4/1-L__V20V	060	15	F = 7.5
	6.3				0.7 / 4	KEAH03016-14/16-4/1-L__V20V	0.9 / 5.3	KEAH03016-17/21-4/1-L__V20V	1.3 / 7.5	KEAH03016-25/30-4/1-L__V20V			
	8.0				0.6 / 3.5	KEAH03020-11/14-4/1-L__V20V	0.8 / 4.8	KEAH03020-16/19-4/1-L__V20V	1.2 / 6.8	KEAH03020-22/27-4/1-L__V20V			
				5.0	1.1 / 6.5	KEAH04012-22/26-4/1-L__V20V	1.5 / 8.8	KEAH04012-29/35-4/1-L__V20V	2.1 / 12.5	KEAH04012-42/50-4/1-L__V20V	024	6	S = 5.5
			6.3		0.9 / 5.3	KEAH04016-17/21-4/1-L__V20V	1.3 / 7.5	KEAH04016-25/30-4/1-L__V20V	1.8 / 10.3	KEAH04016-34/41-4/1-L__V20V	040	10	M = 7.5
		8.0			0.8 / 4.3	KEAH04020-14/17-4/1-L__V20V	1 / 5.8	KEAH04020-20/23-4/1-L__V20V	1.5 / 8.5	KEAH04020-28/34-4/1-L__V20V	060	15	F = 11
	10				0.6 / 3.3	KEAH04025-11/13-4/1-L__V20V	0.9 / 5.3	KEAH04025-17/21-4/1-L__V20V	1.3 / 7.5	KEAH04025-25/30-4/1-L__V20V	080	20	
	12.5				0.5 / 3	KEAH04032-10/12-4/1-L__V20V	0.8 / 4.3	KEAH04032-14/17-4/1-L__V20V	1 / 6	KEAH04032-20/24-4/1-L__V20V	100	25	
				6.3	1.2 / 7	KEAH05016-23/28-4/1-L__V20V	1.4 / 8.3	KEAH05016-28/33-4/1-L__V20V	1.6 / 9.5	KEAH05016-32/38-4/1-L__V20V	024	6	S = 7.5
			8.0		1 / 5.5	KEAH05020-19/22-4/1-L__V20V	1.2 / 7	KEAH05020-24/28-4/1-L__V20V	1.4 / 8.3	KEAH05020-28/33-4/1-L__V20V	040	10	M = 9.2
		10			0.8 / 4.5	KEAH05025-15/18-4/1-L__V20V	1 / 5.8	KEAH05025-19/23-4/1-L__V20V	1.2 / 7	KEAH05025-24/28-4/1-L__V20V	060	15	F = 11
	12.5				0.6 / 3.5	KEAH05032-12/14-4/1-L__V20V	0.8 / 4.5	KEAH05032-15/18-4/1-L__V20V	1 / 5.8	KEAH05032-19/23-4/1-L__V20V	080	20	
	16				0.5 / 3	KEAH05040-10/12-4/1-L__V20V	0.7 / 4	KEAH05040-14/16-4/1-L__V20V	0.9 / 5	KEAH05040-16/20-4/1-L__V20V	100	25	
				8.0	1.1 / 6.5	KEAH06020-22/26-4/1-L__V20V	1.3 / 7.5	KEAH06020-25/30-4/1-L__V20V	1.8 / 10.3	KEAH06020-35/41-4/1-L__V20V	040	10	S = 9.2
			10		0.9 / 5.3	KEAH06025-17/21-4/1-L__V20V	1.1 / 6.5	KEAH06025-22/26-4/1-L__V20V	1.5 / 8.8	KEAH06025-29/35-4/1-L__V20V	060	15	M = 11
		12.5			0.8 / 4.3	KEAH06032-14/17-4/1-L__V20V	0.9 / 5.3	KEAH06032-17/21-4/1-L__V20V	1.3 / 7.5	KEAH06032-26/30-4/1-L__V20V	080	20	F = 15
	16				0.7 / 3.8	KEAH06040-12/15-4/1-L__V20V	0.8 / 4.3	KEAH06040-14/17-4/1-L__V20V	1 / 6	KEAH06040-20/24-4/1-L__V20V	100	25	
	20				0.5 / 3	KEAH06050-10/12-4/1-L__V20V	0.7 / 3.8	KEAH06050-12/15-4/1-L__V20V	0.9 / 5	KEAH06050-17/20-4/1-L__V20V	120	30	
				12.5	0.9 / 5	KEAH07032-16/20-4/1-L__V20V	1.2 / 7	KEAH07032-23/28-4/1-L__V20V	1.5 / 9	KEAH07032-30/36-4/1-L__V20V	040	10	S = 11
			16		0.7 / 3.8	KEAH07040-13/15-4/1-L__V20V	1 / 5.5	KEAH07040-19/22-4/1-L__V20V	1.2 / 7	KEAH07040-23/28-4/1-L__V20V	060	15	M = 15
		20			0.6 / 3.3	KEAH07050-10/13-4/1-L__V20V	0.9 / 5	KEAH07050-17/20-4/1-L__V20V	1 / 5.8	KEAH07050-19/23-4/1-L__V20V	080	20	F = 18.5
	25				0.5 / 2.8	KEAH07063-09/11-4/1-L__V20V	0.7 / 4	KEAH07063-13/16-4/1-L__V20V	0.9 / 5	KEAH07063-17/20-4/1-L__V20V	100	25	
32					0.5 / 2.5	KEAH07080-08/10-4/1-L__V20V	0.6 / 3.3	KEAH07080-11/13-4/1-L__V20V	0.7 / 4	KEAH07080-13/16-4/1-L__V20V	120	30	